

L-S Industries - Standard Container Specifications



Totes - Nestable							
Part #	Min. QTY	Top OD	Bottom ID	Weight (lbs)	Pallet	# per Pallet	Notes
1468	5	18.375 x 13.26 x 6	16.25 x 10.75 x 6	1.30	48 x 40	140	
1500	270	23.75 x 15.6 x 16	20.95 x 12.825 x 16	2.74	48 x 48	54	
1504	100	32 x 32 x 8	29.2 x 29.2 x 8	3.60	36 x 36	20	
1514	384	16.925 x 13.175 x 9	13.75 x 10.75 x 9	1.51	48 x 40	96	
1516	128	30 x 14.5 x 17.3	27.18 x 11.7 x 17.3	3.17	48 x 48	32	
1520	5	24.175 x 16.817 x 13	21 x 14.517 x 13	2.61	48 x 40	48	
1521	270	20.925 x 14.925 x 11.375	17.75 x 12.625 x 11.375	2.08	48 x 40	90	
1524	5	23.55 x 15.175 x 11.375	20.75 x 12.875 x 11.375	2.25	48 x 48	72	
1527	250	27.5 x 27.5 x 9	25 x 25 x 9	3.18	36 x 36	25	
1530	5	15.5 x 11.5 x 8	12.7 x 8.7 x 8	1.51	48 x 48	168	
1531	240	28 x 21 x 12	25 x 18.25 x 12	3.05	60 x 42	48	
1532	204	13.22 x 11.22 x 3.5	10.417 x 8.417 x 3.5	0.43	48 x 48	204	
1535	480	21.875 x 11.25 x 11.3125	17.125 x 8.5 x 11.3125	1.44	36 x 36	60	
1537	432	19.5 x 13.8 x 11	16 x 10.5 x 11	1.79	42 x 42	72	
1538	338	21.4 x 16.3 x 11.5	18.12 x 13 x 11.5	2.18	48 x 40	48	
1540	108	21 x 13.5 x 19	18.2 x 10.7 x 19	2.60	48 x 48	54	
1541	228	15.5 x 10.5 x 8	12.5 x 7.9 x 8	1.13	48 x 48	228	
1544	680	17 x 11 x 9	14.687 x 9.125 x 9	1.35	48 x 48	340	Galvanized wire
1545	680	17 x 11 x 9	14.687 x 9.125 x 9	1.35	48 x 48	340	Fumigation holes, Galvanized wire
1546	432	21.25 x 14.75 x 13	18.4 x 12 x 13	2.35	48 x 48	72	
1552	90	35 x 10 x 15	32.2 x 15.2 x 15	3.71	36 x 36	18	
1555	6	20 x 14 x 5	17.2 x 11.2 x 5	2.06	48 x 40	120	
1558	480	23 x 13 x 6	20.2 x 10.2 x 6	1.47	48 x 40	96	
1560	480	20 x 16 x 7	17.2 x 13.2 x 7	2.65	48 x 48	96	
1564	528	17.375 x 17.375 x 4.25	14.625 x 14.5 x 4.25	1.41	36 x 36	176	
1565	384	27.75 x 19.8 x 11.85	24.75 x 17 x 11.85	3.05	48 x 48	56	
1570	500	18 x 10.75 x 11.5	15 x 7.75 x 11.5	1.53	48 x 40	100	
1577	5	18.25 x 13.25 x 11.6	15 x 11 x 11.6	1.85	48 x 40	84	
1578	56	18 x 13 x 18	15 x 10.875 x 18	2.15	48 x 40	56	
1579	5	18.175 x 18.175 x 11.3125	15.75 x 14.875 x 11.3125	2.22	42 x 42	48	
1580	440	24 x 20.5 x 11	21.883 x 18.876 x 11	2.75	48 x 48	44	
1581	5	30.8 x 18.8 x 9	28 x 16 x 9	2.64	42 x 42	44	
1582	144	23.25 x 20.75 x 12	20.62 x 12.44 x 12	2.22	48 x 48	72	
1589	408	18 x 18 x 6	15.84 x 15.84 x 6	1.59	36 x 36	68	
1601	5	21 x 19 x 14	18.2 x 16.2 x 14	2.70	48 x 40	48	

Totes - Straight Wall

Part #	Min. QTY	Top OD	Bottom ID	Weight (lbs)	Pallet	# per Pallet	Notes
2503	20	23.175 x 9.55 x 4	22 x 9 x 4	1.18	48 x 40	112	Check Box
2541	144	26.25 x 16.5 x 13.5	26 x 16 x 13.5	3.01	42 x 42	36	
2546	126	14.5 x 8 x 6	14.05 x 7.68 x 6	0.99	48 x 48	126	No hand holes, Flaps folded in
2562	300	17 x 13 x 8.75	16.12 x 12.12 x 8.75	1.53	48 x 48	60	
2595	28	20.5 x 14.5 x 12	19.7 x 13.7 x 12	2.29	36 x 36	28	

Trays - Knockdown, Welded & Hopper

Part #	Min. QTY	Top OD	Bottom ID	Weight (lbs)	Pallet	# per Pallet	Notes
5555	540	15 x 13 x 5	11.5 x 9.875 x 5	0.59	48 x 40	180	Welded, Hand holes
5565	6	22 x 12.25 x 4.5	18 x 10.5 x 4.5	0.72	42 x 42	500	Knockdown
5571	6	13 x 12 x 4.5	10.687 x 10.125 x 4.5	0.55	48 x 40	270	Welded
5572	6	13 x 12 x 4.5	10.687 x 10.125 x 4.5	0.54	48 x 40	270	Welded, Hand holes
5573	6	13 x 12 x 4.5	10.25 x 10.125 x 4.5	0.54	42 x 42	500	Knockdown, Hand holes
5574	6	24 x 12 x 4.5	21.625 x 10.125 x 4.5	0.80	48 x 40	180	Welded, Hand holes
5575	6	24 x 12 x 4.5	21.25 x 10.125 x 4.5	0.80	48 x 40	500	Knockdown, Hand holes
5579	500	28.75 x 15 x 9	26.4 x 12.65 x 9	1.69	48 x 40	100	Welded, Hand holes
5586	6	24 x 12 x 6	21.75 x 11.75 x 6	1.10	48 x 40	96	Welded, Hand holes
5604	340		26.5 x 23 x 4.5	3.19	53 x 53	68	RELF, Tuck top assembled with Hand holes
5610	500	13 x 24 x 8 x 3	12.11 x 23.44 x 8 x 3	1.40	48 x 40	250	Knockdown, Hopper
5622	420	18 x 12 x 4.5	15.75 x 10.3 x 4.5	0.64	48 x 40	210	Welded, Hand holes
5625	500	20 x 15 x 12 x 6	19 x 14.917 x 12 x 6	1.70	60 x 42	250	Knockdown, Hopper
5626	500	20 x 8 x 4 x 2	19.335 x 7.792 x 4 x 2	0.96	36 x 36	500	Knockdown, Hopper
5627	750	20 x 5 x 4 x 2	19 x 4.792 x 4 x 2	0.36	42 x 42	750	Knockdown, Hopper
5637	500	12.875 x 24.5 x 12 x 6	12 x 24 x 12 x 6	2.06	51 x 72	250	Knockdown, Hopper
5638	500	16.875 x 24.5 x 12 x 6	16 x 24 x 12 x 6	2.31	51 x 72	250	Knockdown, Hopper
5640	250	9 x 9 x 8	7.75 x 7.75 x 8	0.57	48 x 48	250	Welded
5641	54	13 x 13 x 12	11.75 x 11.75 x 12	1.26	42 x 42	54	Welded
5642	40	19 x 19 x 14.5	17.75 x 17.75 x 14.5	2.06	42 x 42	40	Welded
5643	500		22 x 19.25 x 6	2.47	57 x 49	250	RELF, Knockdown

Contact L-S Industries with your requirements

jledford@l-si.com 800 825 2561 ext 105

Recycling Bins

Part #	Min. QTY	Top OD	Bottom ID	Weight (lbs)	Pallet	# per Pallet	Notes
1529	100	15 x 15 x 30		3.30	42 x 42	100	Knockdown, lid sold separate
7629	100	15 x 15 x 2		0.54	48 x 48	1000	8" Circle Lid (fits #1529)
7630	100	16 x 15 x 2		0.54	48 x 48	1000	8" Square Lid (fits #1529)
2646	140	20.25 x 17 x 38.25		5.11	42 x 42	70	3-piece design, lid included
1577	5	18.25 x 13.25 x 11.6	15 x 11 x 11.6	1.85	48 x 40	84	General purpose tote
1579	5	18.175 x 18.175 x 11.3125	15.75 x 14.875 x 11.3125	2.22	42 x 42	48	General purpose tote

RSC, HSC & Other

Part #	Min. QTY	Top OD	Bottom ID	Weight (lbs)	Pallet	# per Pallet	Notes
2519	125		9 x 6 x 4	0.44	36 x 36	250	RELF with Velcro closures
2531	200		16 x 13 x 15	2.04	36 x 36	150	HSC with Lid
2547	150		23 x 15 x 21	2.22	48 x 40	150	HSC, Auto Bottom, Hopper front and Hand holes
2563	100		19.5 x 13.5 x 13.5	2.00	36 x 36	100	RSC, Std. Top/Bottom with Hand holes
2567	200		22.25 x 16.5 x 10.6	2.54	48 x 40	160	RSC, L-Lock top/Auto bottom
2588	160		16 x 12 x 10	1.58	48 x 48	160	File Box with detached lid
2620	300		21.75 x 14 x 15.875	2.48	48 x 40	150	RSC, L-Lock top/Auto snap bottom with Hand holes
2630	300		28 x 10.25 x 4	1.30	48 x 40	300	RSC, Std. Top/Bottom
2631	200		28 x 14.25 x 4	1.81	42 x 42	200	RSC, Std. Top/Bottom
2632	300		16 x 12 x 4.5	1.06	48 x 40	300	RSC, Std. Top/Bottom
2633	300		14 x 12 x 6.5	1.12	48 x 48	300	RSC, Std. Top/Bottom
2634	300		15.5 x 7.75 x 4.5	1.00	42 x 42	300	RSC, Std. Top/Bottom
2640	300		16.5 x 16.5 x 15.5	2.37	48 x 40	150	RSC, Auto Bottom/Tuck tab top with Hand holes

Contact L-S Industries with your requirements
 jledford@l-si.com 800 825 2561 ext 105